



SLUSH MACHINES COMPARISON

North America

MARCH 2024



CLASSIC

SMART

SMART +

Production	Frozen Drinks	Frozen Drinks	Frozen Drinks
Refrigerant Gas	R290	R290	R290
Volts	115V / 60Hz	115V / 60Hz	115V / 60Hz
Production Speed (39,2°F product temperature)	40 minutes	45 minutes	45 minutes

1 Tank

Capacity	-	4 Gal. (1 x 4 Gal.)	4 Gal. (1 x 4 Gal.)
Dimensions W x D x H	-	8.5 x 23.6 x 33.5 in	8.5 x 23.6 x 33.5 in
Feet distance W x D	-	8.45 x 13.4 in	8.45 x 13.4 in
Weight	-	55 lbs	55 lbs
Watt	-	320 W	320 W
Amp	-	2.8 A	2.8 A
Electrical Consumption (At 77° F room temperature)	-	Freezing: 260 W/h Maintenance: 150 W/h Storage: 15 W/h	Freezing: 260 W/h Maintenance: 150 W/h Storage: 15 W/h

2 Tanks

Capacity	6.4 Gal. (2 x 3.2 Gal.)	8 Gal. (2 x 4 Gal.)	8 Gal. (2 x 4 Gal.)
Dimensions W x D x H	17.9 x 24.4 x 35.4 in	16.9 x 23.6 x 33.5 in	16.9 x 23.6 x 33.5 in
Feet distance W x D	16.6 x 13.4 in	16.9 5 x 13.4 in	16.9 5 x 13.4 in
Weight	123.5 lbs	110 lbs	110 lbs
Watt	920 W	800 W	800 W
Amp	8 A	7.5 A	7.5 A
Electrical Consumption (At 77° F room temperature)	Freezing: 700 W/h Maintenance: 270 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h	Freezing: 650 W/h Maintenance: 220 W/h Storage: 15 W/h

3 Tanks

Capacity	9.6 Gal. (3 x 3.2 Gal.)	12 Gal. (3 x 4 Gal.)	12 Gal. (3 x 4 Gal.)
Dimensions W x D x H	26.4 x 24.4 x 35.4 in	25.6 x 23.6 x 33.5 in	25.6 x 23.6 x 33.5 in
Feet distance W x D	23.3 x 13.4 in	25. 6 x 13.4 in	25. 6 x 13.4 in
Weight	154.3 lbs	165 lbs.	165 lbs.
Watt	1270 W	1100 W	1100 W
Amp	11 A	9.5 A	9.5 A
Electrical Consumption (At 77° F room temperature)	Freezing: 1000 W/h Maintenance: 550 W/h Storage: 25 W/h	Freezing: 950 W/h Maintenance: 390 W/h Storage: 20 W/h	Freezing: 950 W/h Maintenance: 390 W/h Storage: 20 W/h



CLASSIC

SMART

SMART +

TANK & TAP & LID

	CLASSIC	SMART	SMART +
Tap	Push & Pull	Smart	Smart
Easy twist lock tap disassembly	X	✓	✓
Hinged lid	✓	✓	✓

LIGHTING

Light	✓	X	✓
RGB colour options	X	X	✓

CUSTOMIZATION

Easy customization with stickers	X	✓	✓
Lid flavour tag	X	X	✓

PERFORMANCE

Vertical Ventilation System (Zero Clearance Space)	✓	✓	✓
Cyclic Reverse	X	✓	✓
Mixer with variable speed	X	✓	✓

CONTROL

Automatic Modes	✓	✓	✓
Independent Bowl Control	✓	✓	✓
Remote Control APP	X	X	✓
Hot Gas	✓	X	✓
Smart check	X	X	✓



CLASSIC

up to **3.2 Gal.**
MEDIUM
bowl capacity

24
16 oz portions
per bowl

Vertical
Ventilation

R290
ECO
Refrigerant

HOT
GAS



SMART

up to **4 Gal.**
LARGE
bowl capacity

32
16 oz portions
per bowl

Vertical
Ventilation

R290
ECO
Refrigerant

BPA
Free

Cyclic
Reverse



SMART +

up to **4 Gal.**
LARGE
bowl capacity

32
16 oz portions
per bowl

Vertical
Ventilation

R290
ECO
Refrigerant

BPA
Free

HOT
GAS

Cyclic
Reverse

VAIR
Connect





OPTIONS	CLASSIC	SMART
TANK & TAP		
Push & Pull	✓	✓
Smart	X	✓
Selfservice	✓	✓
Touchless	✓	✓
RGB LIGHT		
RGB Basic light	X	✓
RGB Full light	X	✓
LID CUSTOMIZATION		
Lid flavour tag	X	✓
Customized lid	✓	✓
PANEL CUSTOMIZATION		
Front panel	✓	✓
Lateral panels	✓	✓
Rear panels	✓	✓
CAPACITY		
Type of consumption	MEDIUM	HIGH
Single bowl version	X	✓
Double bowl version	✓	✓
Triple bowl version	✓	✓



www.v-air.es

an Ali Group Company



the spirit of excellence